




T3型双头桌灯

T3 Double Head Desk Fixed
Luminaire

T3型双头桌灯
T3 Double Head Desk Fixed Luminaire



V703-2T3
249-250



V715T3
251-252



V719T3.F
253-254



V601-1T3.H
255-256



V601-1T3.F
257-258



V601-1T3.B
259-260



V611T3
261-262





V617-3T3
263-264

V703-2T3 Series



应用于 Apply to



特点 Feature

1. 双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本
2. 快装，三步走，专业人员五分钟就能安装完成
3. 造型纤细，极具现代感设计，乳白棱纹光抗UV光扩散罩
4. 上下出光/下出光
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感。



1. Double-head table lamp, go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. Slim and modern design, with UV resistance opal prismatic diffuser.
4. Suitable for multi person workspace use, improving productivity and
5. creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.



增加:
上下光分控&上下光调光
Additional Functions:
Independent On/Off& Dimming
for Direct and indirect Light



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1571*35*1047	V703-2T3.HPP1604/HPP2-704W	UP	20W	2000Lm	3000/3500/4000/5000/6000K
		DOWN	32W	3200Lm	
		UP	42W	4200Lm	
		DOWN	50W	5000Lm	
1765*35*1047	V703-2T3.HPP1804/HPP2-804W	UP	22W	2200Lm	3000/3500/4000/5000/6000K
		DOWN	35W	3500Lm	
		UP	47W	4700Lm	
		DOWN	57W	5700Lm	
1957*35*1047	V703-2T3.HPP2004/HPP2-904W	UP	25W	2500Lm	3000/3500/4000/5000/6000K
		DOWN	42W	4200Lm	
		UP	50W	5000Lm	
		DOWN	65W	6500Lm	

灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1571*35*1047	V703-2T3.HPP2-704W	DOWN	64W	6400Lm	3000/3500/4000/5000/6000K
1765*35*1047	V703-2T3.HPP2-804W	DOWN	70W	7000Lm	3000/3500/4000/5000/6000K
1957*35*1047	V703-2T3.HPP2-904W	DOWN	84W	8400Lm	3000/3500/4000/5000/6000K

材质与工艺 Material & technology



名称	TD01
型号	V703-2T3
灯体材料	优质阳极氧化铝 (6063合金)
表面处理	哑白色/哑黑色, 批量订购可根据RAL颜色定制接近色
控制方式	立柱触摸面板控制具有切换上下光和调光功能

Name	TD01
Model	V703-2T3
Body Material	Aluminum alloy(6063)
Body Finish	White/Black
Control Way	Touch screen can separate control and dimming up/down light

V715T3 Series




应用于 Apply to



特点 Feature

1. 双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本
2. 快装，三步走，专业人员五分钟就能安装完成；
3. 微棱晶防眩罩，高流明输出，护眼舒适工作更有效率；
4. 上下出光/下出光；
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感。



1. Double-head table lamp, go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. Microprism anti-glare diffuser, high lumen output, comfortable eye protection, and more efficient work.
4. Direct/Indirect Light, Direct light
5. Suitable for multi person workspace use, improving productivity and creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.



增加:
上下光分控&上下光调光
Additional Functions:
Independent On/Off& Dimming
for Direct and indirect Light



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



灯具尺寸 L*W*H(mm)	订货型号 Item No	照明方式 Light distribution	功率 Power(W)	流明 Lm	色温 CCT
1500*100*1013	V715T3.HP2-1502/ HE2-605F	UP	35W	3500Lm	3000/3500/4000K
		DOWN	35W	3500Lm	
		UP	50W	5000Lm	
		DOWN	50W	5000Lm	
1820*100*1013	V715T3.HP2-1802/ HE2-805F	UP	42W	4200Lm	3000/3500/4000K
		DOWN	42W	4200Lm	
		UP	60W	6000Lm	
		DOWN	60W	6000Lm	
灯具尺寸 L*W*H(mm)	订货型号 Item No	照明方式 Light distribution	功率 Power(W)	流明 Lm	色温 CCT
1500*100*1013	V715T3.HE2-605F	DOWN	35W	3500Lm	3000/3500/4000K
		DOWN	70W	7000Lm	
1820*100*1013	V715T3.HE2-805F	DOWN	42W	4200Lm	3000/3500/4000K
		DOWN	100W	10000Lm	

材质与工艺 Material & technology

名称	TD02
型号	V715T3
灯体材料	优质阳极氧化铝（6063合金），
表面处理	哑白色/哑黑色，批量订购可根据RAL颜色定制接近色
控制方式	立柱触摸面板控制具有切换上下光和调光功能



Name	TD02
Model	V715T3
Body Material	Aluminum alloy(6063)
Body Finish	White/Black
Control Way	Touch screen can separate control and dimming up/down light

V719T3

Series





应用于 Apply to




特点 Feature

1. 双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本
2. 快装，三步走，专业人员五分钟就能安装完成
3. 90°发光角垂直于桌面，微棱晶防眩罩，护眼舒适工作更有效率
4. 下出光
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感。

1. Double-head table lamp, bolt-through mount installation, the lamp can go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. Slim and modern design, with UV resistance opal prismatic diffuser.
4. Direct/Indirect Light, Direct light
5. Suitable for multi person workspace use, improving productivity and creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1410*130*1010	V719T3.HX2-314F	L	24W	2400Lm	3000/4000K
		M	36W	3600Lm	
		H	48W	4800Lm	
1752*130*1010	V719T3.HX2-414F	L	32W	3200Lm	3000/4000K
		M	48W	4800Lm	
		H	65W	6500Lm	
2094*130*1010	V719T3.HX2-514F	L	40W	4000Lm	3000/4000K
		M	60W	6000Lm	
		H	80W	8000Lm	

材质与工艺 Material & technology



名称 TD03
型号 V719T3
灯体材料 优质阳极氧化铝（6063合金），
表面处理 哑白色/哑黑色，批量订购可根据RAL颜色定制接近色

Name TD03
Model V719T3
Body Material Aluminum alloy(6063)
Body Finish White/Black

V601-1T3.H Series




应用于 Apply to



特点 Feature

1. 双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本
2. 快装，三步走，专业人员五分钟就能安装完成
3. 蜂窝构造防眩设计物理格栅防眩光，护眼舒适工作更有效率
4. 上下出光/下出光
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感



1. Double-head table lamp, the lamp can go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. Honeycomb structure design, physical grille anti-glare, comfortable eye protection, and more efficient work.
4. Direct/Indirect Light, Direct light.
5. Suitable for multi person workspace use, improving productivity and creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.



增加:
上下光分控&上下光调光
Additional Functions:
Independent On/Off& Dimming
for Direct and indirect Light



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1500*69*1015	V601-1T3.HPP2-604/HCC2-604H	UP DOWN	42W 42W	4200Lm 4200Lm	3000/3500/4000/ 5000/6000K
2085*69*1015	V601-1T3.HPP2-904/HCC2-904H	UP DOWN	65W 65W	6500Lm 6500Lm	3000/3500/4000/ 5000/6000K

灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1500*69*1015	V601-1T3.HCC2-604H	DOWN	56W	5600Lm	3000/3500/4000/ 5000/6000K
2085*69*1015	V601-1T3.HCC2-904H	DOWN	84W	8400Lm	3000/3500/4000/ 5000/6000K

材质与工艺 Material & technology



名称	TD05
型号	V601-1T3.H
灯体材料	优质阳极氧化铝 (6063合金),
表面处理	哑白色/哑黑色, 批量订购可根据RAL颜色定制接近色
控制方式	立柱触摸面板控制具有切换上下光和调光功能

Name	TD05
Model	V601-1T3.H
Body Material	Aluminum alloy(6063)
Body Finish	Body Finish: White/Black
Control Way	Control Way: Touch screen can separate control and dimming up/down light

V601-1T3.F Series




应用于 Apply to



特点 Feature

1. 双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本，
2. 快装，三步走，专业人员五分钟就能安装完成
3. 微棱晶防眩，护眼舒适工作更有效率
4. 下出光/上下出光
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感。



1. Double-head table lamp, bolt-through mount installation, the lamp can go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. Microprism anti-glare diffuser, comfortable eye protection, and more efficient work.
4. Direct light, Direct/Indirect Light
5. Suitable for multi person workspace use, improving productivity and creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.



增加:
上下光分控&上下光调光
Additional Functions:
Independent On/Off & Dimming
for Direct and indirect Light



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1500*69*1015	V601-1T3.HPP2-604/HCC2-604F	UP DOWN	42W 42W	4200Lm 4200Lm	3000/3500/4000/ 5000/6000K
2085*69*1015	V601-1T3.HPP2-904/HCC2-904F	UP DOWN	65W 65W	6500Lm 6500Lm	3000/3500/4000/ 5000/6000K


灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1500*69*1015	V601-1T3.HCC2-604F	DOWN	56W	5600Lm	3000/3500/4000/ 5000/6000K
2085*69*1015	V601-1T3.HCC2-904F	DOWN	84W	8400Lm	3000/3500/4000/ 5000/6000K

材质与工艺 Material & technology



名称	TD06
型号	V601-1T3.F
灯体材料	优质阳极氧化铝 (6063合金),
表面处理	哑白色/哑黑色, 批量订购可根据RAL颜色定制接近色
控制方式	立柱触摸面板控制具有切换上下光和调光功能

Name	TD06
Model	V601-1T3.F
Body Material	Aluminum alloy(6063)
Body Finish	White/Black
Control Way	Touch screen can separate control and dimming up/down light

V601-1T3.B Series



应用于 Apply to



特点 Feature

1. 双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本
2. 快装，三步走，专业人员五分钟就能安装完成
3. 百叶防眩设计物理格栅防眩光，护眼舒适工作更有效率
4. 上下出光/下出光
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感

1. Double-head table lamp, bolt-through mount installation, the lamp can go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. I-shape louver structure design, physical grille anti-glare, comfortable eye protection, and more efficient work
4. Direct/Indirect Light, Direct light
5. Suitable for multi person workspace use, improving productivity and creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.





增加:
上下光分控&上下光调光
Additional Functions:
Independent On/Off& Dimming
for Direct and indirect Light



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



T3双头桌面安装灯



灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1500*69*1015	V601-1T3.HPP2-604/HCC2-604B	UP DOWN	42W 42W	4200Lm 4200Lm	3000/3500/4000/ 5000/6000K
2085*69*1015	V601-1T3.HPP2-904/HCC2-904B	UP DOWN	65W 65W	6500Lm 6500Lm	3000/3500/4000/ 5000/6000K

灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1500*69*1015	V601-1T3.HCC2-604B	DOWN	56W	5600Lm	3000/3500/4000/ 5000/6000K
2085*69*1015	V601-1T3.HCC2-904B	DOWN	84W	8400Lm	3000/3500/4000/ 5000/6000K

材质与工艺 Material & technology



名称	TD07
型号	V601-1T3.B
灯体材料	优质阳极氧化铝 (6063合金)
表面处理	哑白色/哑黑色, 批量订购可根据RAL颜色定制接近色
控制方式	立柱触摸面板控制具有切换上下光和调光功能

Name	TD07
Model	V601-1T3.B
Body Material	Aluminum alloy(6063)
Body Finish	White/Black
Control Way	Touch screen can separate control and dimming up/down light

V611T3 Series




应用于 Apply to



特点 Feature

1. 双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本
2. 快装，三步走，专业人员五分钟就能安装完成
3. 微棱晶防眩罩，高流明输出，护眼舒适工作更有效率
4. 上下出光
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感。

1. Double-head table lamp, bolt-through mount installation, the lamp can go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. Microprism anti-glare diffuser, high lumen output, comfortable eye protection, and more efficient work.
4. Direct/Indirect Light
5. Suitable for multi person workspace use, improving productivity and creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.




增加:
光感&人感
Additional Functions:
Daylight Sensor & Motion Sensor



增加:
上下光分控&上下光调光
Additional Functions:
Independent On/Off& Dimming
for Direct and indirect Light



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
610*298*1200	V611T3.HE605/ HK228F	UP	20W	2000Lm	4000K
		DOWN	32W	3200Lm	
		UP	36W	3600Lm	
		DOWN	56W	5600Lm	

材质与工艺 Material & technology



名称	TD08
型号	V611T3
灯体材料	优质阳极氧化铝（6063合金），
表面处理	哑白色/哑黑色，批量订购可根据RAL颜色定制接近色
控制方式	立柱触摸面板控制具有切换上下光和调光功能

Name	TD08
Model	V611T3
Body Material	Aluminum alloy(6063)
Body Finish	White/Black
Control Way	Touch screen can separate control and dimming up/down light

V617-3T3 Series




应用于 Apply to



特点 Feature

1. 1.双头桌灯，打孔式桌面安装方式，灯随桌走，节省天花制作成本
2. 快装，三步走，专业人员五分钟就能安装完成
3. 超薄灯头设计，微棱晶防眩罩，护眼舒适工作更有效率
4. 上下出光
5. 适合多人办公位使用，提高生产力和创造力。可以作为高价值岗位（设计师、程序员）工作灯，帮助他们激发更多设计开发灵感。


1. Double-head table lamp, bolt-through mount installation, the lamp can go along with the table, the working surface illumination is more than 500lux, saving the cost of ceiling production.
2. Quick installation, three steps, professional personnel can finish the installation in five minutes.
3. Ultra thin lamp head design, microprism anti-glare diffuser, comfortable eye protection, and more efficient work.
4. Direct/Indirect Light
5. Suitable for multi person workspace use, improving productivity and creativity. Can serve as a work light for high-value positions such as designers and programmers, helping them inspire more design and development inspiration.



增加:
上下光分控&上下光调光
Additional Functions:
Independent On/Off& Dimming
for Direct and indirect Light



基础:
总控&调光
Basic Functions:
Whole Lamp on/off
& Dimming



灯具尺寸	订货型号	照明方式	功率	流明	色温
L*W*H(mm)	Item No	Light distribution	Power(W)	Lm	CCT
1258*321*1200	V617-3T3.HO2-156/W2-218F	UP	60W	6000Lm	4000K
		DOWN	60W	6000Lm	
		UP	80W	8000Lm	
		DOWN	80W	8000Lm	

材质与工艺 Material & technology

名称	TD09
型号	V617-3T3
灯体材料	优质阳极氧化铝 (6063合金),
表面处理	哑白色/哑黑色, 批量订购可根据RAL颜色定制接近色
控制方式	立柱触摸面板控制具有切换上下光和调光功能

Name	TD09
Model	V617-3T3
Body Material	Aluminum alloy(6063)
Body Finish	White/Black
Control Way	Touch screen can separate control and dimming up/down light

®
雄宇办公照明
XIONGYU **Xlinear**®
— OFFICE LIGHTING —
浙江摩灯照明科技有限公司
ZHEJIANG MODENG LIGHTING TECHNOLOGY CO., LTD
地址:浙江省温州市瓯海区瞿溪街道东化路66号
电话:86-577-88760099 / 89768558 / 88767668

Add: No. 66 Donghua Road, Quxi street, Ouhai District,
Wenzhou City, Zhejiang Province
Tel: 86-577-88760099 / 89768558 / 88767668
www.chinaxiongyu.com
www.xlinear.cn
export1@chinaxiongyu.com
jane@xlinear.cn coco@xlinear.cn

所有数据来源于浙江摩灯照明, 如有任何印刷错误或翻译误差, 敬请广大用户谅解。产品设计与规格如有更改, 请以实际产品为准, 恕不另行通知。部分产品已申请专利, 仿冒必究!
如有疑问, 敬请垂询我公司的销售代表或客户服务代表, 或访问我公司网站以获取更多信息。

All technical data are from Modeng Lighting. If there are any typographical errors or translation inaccuracies, we hope for your kind understanding. Any changes in product design or technical specifications will follow the actual products and may occur without prior notice. Some products are patent-protected, and infringement will be prosecuted. Should you have any further questions, please feel free to contact our sales representatives or customer service representatives, or visit our website for more information.



了解更多详情
请扫描官网二维码

